

## Ausgewählte Publikationen

*Juliane Köberlein-Neu, Stand November 2020*

Söling S, Köberlein-Neu J, Müller B, Dinh T, Muth C, Pfaff H, Karbach U. From sensitization to adoption? A qualitative study of the implementation of a digitally supported intervention for clinical decision making in polypharmacy. *Implement Sci.* 2020; 15(1): 82. (IF: 4,525)

Silies K, Schnakenberg R, Berg A, Kirchner Ä, Langner H, Köberlein-Neu J, Meyer G, Hoffman F, Köpke S. Process evaluation of a complex intervention to promote advance care planning in community-dwelling older persons (the STADPLAN study)-study protocol. *Trials.* 2020; 21(1): 653. (IF: 1,975)

Schnakenberg R, Silies K, Berg A, Kirchner Ä, Langner H, Chuvayaran Y, Köberlein-Neu J, Haastert B, Wiese B, Meyer G, Köpke S, Hoffman F. Study on advance care planning in care dependent community-dwelling older persons in Germany (STADPLAN): protocol of a cluster-randomised controlled trial. *BMC Geriatr.* 2020; 20(1): 142. (IF: 3,02)

Isselhard A, Töpper M, Berger-Höger B, Steckelberg A, Fischer H, Vitinius F, Beifus K, Köberlein-Neu J, Wiedemann R, Rhiem K, Schmutzler R, Stock S. Implementation and evaluation of a nurse-led decision-coaching program for healthy breast cancer susceptibility gene (BRCA1/2) mutation carriers: a study protocol for the randomized controlled EDCP-BRCA study. *Trials.* 2020; 21(1): 501. (IF: 1,975)

Piotrowski A, Meyer M, Burkholder I, Renaud D, Müller M, Lehr T, Laag S, Meiser J, Tönnies L, Köberlein-Neu J. Effect of an interprofessional care concept on the hospitalization of nursing home residents: study protocol for a cluster-randomized controlled trial. *Trials.* 2020; 21(1): 411. (IF: 1,975)

Chuvayaran Y, Finger R, Köberlein N. Economic burden of blindness and visual impairment in Germany from a societal perspective: a cost-of-illness study. *Eur J Health Econ.* 2020; 21(1): 155-227. (IF: 2,601)

Tönnies L, Meyer S, Kuypers M, Köberlein-Neu J. Reporting system for critical incidents in cross-sectoral healthcare (CIRS-CS): pre-test of a reporting sheet and optimization of a reporting system. *Z Evid Fortbild Qual Gesundhwes.* 2019; 147-148: 58-66. (IF: 0,437)

Rose O, Richling I, Voigt K, Gottschall M, Köberlein-Neu J. Patient selection and general practitioners' perception of collaboration in medication review. *Res Social Adm Pharm.* 2019; 15(5): 521-527. (IF: 2,844)

Lang C, Gottschall M, Sauer M, Köberlein-Neu J, Bergmann A, Voigt K. Interface Problems Between Inpatient, GP and Outpatient Specialist Care: Viewpoint of General Practitioners in Dresden. Das Gesundheitswesen. 2019; 81(10): 822-830. (IF: 0,419)

Mauschitz M, Li J, Larsen P, Köberlein-Neu J, Holz F, Breteler M, Finger R. Epidemiologie hochgradiger Sehbehinderungen und Blindheit älterer Menschen in Deutschland. Der Ophthalmologe. 2019; 116: 201-212. (IF: 0,698)

Müller D, Stock S, Dintsios C, Chernyak N, Gerber-Grote A, Gloede T, Hermann B, Huppertz E, Jülich F, Mostardt S, Köberlein-Neu J, Prenzler A, Salize H, Santos S, Scheckel B, Seidl A, Wahlers K, Icks A. Checkliste zur Erstellung und Bewertung von Krankheitskostenstudien. Das Gesundheitswesen. 2018; 80(08/09): 744-753. (IF: 0,419)

Rose O, Jaehde U, Köberlein-Neu J. Discrepancies between home medication and patient documentation in primary care. Res Social Adm Pharm. 2018; 14(4): 340-346. (IF: 2,844)

Köberlein-Neu J, Runkel B, Hilberg T. Cost-utility of a six-month programmed sports therapy (PST) in patients with haemophilia. Haemophilia. 2018. 24(3). (IF: 2,99)

Köberlein-Neu J, Seifert A, Himmelsbach I. Selbstberichtetes Sehvermögen in der (gerontologischen) Versorgungsforschung und -praxis – ein Plädoyer zur Öffnung. Der Ophthalmologe. 2018; 115: 818 – 825. (IF: 0,698)

Beifus K, Breitbart E, Köberlein-Neu J. Effects of complex interventions in 'skin cancer prevention and treatment': protocol for a mixed-method systematic review with qualitative comparative analysis. BMJ Open. 2017; 7(9): 1-6. (IF: 2,496)

Köberlein-Neu J, Hoffmann F. Das Stepped Wedge Design: Stufenlos regelbar? Z. Evid. Fortbild. Qual. Gesundhwes. 2017 [epub ahead of print]. (IF: 0,437)

Rose O, Köberlein-Neu J. In Reply, Schlusswort. Deutsches Ärzteblatt International. 2017; 114(13): 224 – 225. (IF: 4,469)

Köberlein-Neu J. Grundlagen der Evaluation von E-Health. In: Müller-Mielitz S, Lux T(Hrsg.). E-Health Ökonomie. Wiesbaden: Springer-Gabler; 2017, S.795-847.

Köberlein-Neu J, Mennemann H, Hamacher S, Waltering I, Jaehde U, Schaffert C, Rose O. Interprofessional Medication Management in Patients With Multiple Morbidities: a cluster-randomized trial. Deutsches Ärzteblatt International. 2016; 113(44): 741 – 748. (IF: 4,469)

Rose O, Mennemann H, John C, Lautenschläger M, Mertens-Keller D, Richling K, Waltering I, Hamacher S, Felsch M, Herich L, Czarnecki K, Schaffert C, Jaehde U, Köberlein-Neu J. Priority Setting and Influential Factors on Acceptance of Pharmaceutical Recommendations in Collaborative Medication Reviews in an Ambulatory Care Setting -Analysis of a Cluster Randomized Controlled Trial (WestGem-Study). PLoS One. 2016; 11(6): e0156304. (IF: 3,057)

Voigt K, Gottschall M, Köberlein-Neu J, Schübel J, Quint N, Bergmann A. Why do family doctors prescribe potentially inappropriate medication to elderly patients? BMC Fam Pract. 2016; 17(1): 93. (IF: 1,641)

Münch C, Gottschall M, Hübsch G, Köberlein-Neu J, Schübel J, Bergmann A, Voigt K. Qualität der hausärztlichen Diagnosedokumentation in Patientenakten – Eine Analyse am Beispiel von Schilddrüsenerkrankungen. Z Evid Fortbild Qual Gesundhwes. 2016; 115: 56-62. (IF: 0,437)

Winkler Y, Beifus K, Köberlein-Neu J. Verwendung der Delphi-Methode zur Feststellung von Anforderungen an vernetzte, professions- und organisationsübergreifende Kommunikation in Versorgungsnetzen. Pflegewissenschaft. 2016;18(3/4):192–200. 16: 84. (IF: 1,641)

Rose O, Schaffert C, Czarnecki K, Mennemann H, Waltering I, Hamacher S, Felsch M, Herich L, Köberlein-Neu J. Effect evaluation of an interprofessional medication therapy management approach for multimorbid patients in primary care: a cluster-randomized controlled trial in community care (WestGem study protocol). BMC Fam Pract. 2015.

Jürges H, Köberlein-Neu J. What explains DRG upcoding in neonatology? The roles of financial incentives and infant health. J Health Econ. 2015;43: 13–26. (IF: 2,601)

Czarnecki K, Köberlein-Neu J, Schmerzmedizinische Versorgung von Patienten mit Beeinträchtigung. Dtsch Med Wochenschr. 2014; 139(14): 735-739. (IF: 0,569)

Finger R, Köberlein-Neu J, Gass P, Holz F, Bertram B. Entwicklung der stationären augenärztlichen Versorgung in Deutschland. Der Ophthalmologe. 2013; 110: 224-229. (IF: 0,698)

Köberlein-Neu J, Kothe A, Sieber J, Mösges R. Determining factors of patient compliance to treatment in allergic rhinitis. Asian Pac J Allergy Immunol. 2013;31(2): 148–56. (IF: 1,255)

Beifus K, Köberlein-Neu J. Die individuelle, soziale und ökonomische Belasung durch Hautkrebs. In: Breitbart E, editor. S3-Leitline Prävention von Hautkrebs. AWMF-Regis. AWMF; 2013. S. 54–76

Köberlein-Neu J, Gottschall M, Czarnecki K, Thomas A, Bergmann A, Voigt K. General practitioners' views on polypharmacy and its consequences for patient health care. *BMC Family Practice.* 2013;14: 1-7. (IF: 1,641)

Köberlein-Neu J, Jürges H. Multimorbidity, incentives and the use of health services in Europe. In: Börsch-Supan A, Brandt M, Litwin H and Weber H (Hrsg.). Active ageing and solidarity between generations in Europe: First results from SHARE after the economic crisis. Berlin: De Gruyter; 2013, S. 233-242.

Köberlein-Neu J, Beifus K, Schaffert C, Finger RP. The economic burden of visual impairment and blindness:a systematic review. *BMJ Open.* 2013;3(11): 1-14. (IF: 2,496)

Mösges R, König V, Köberlein-Neu J. The effectiveness of modern antihistamines for treatment of allergic rhinitis -an IPD meta-analysis of 140,853 patients. *Allergol Int.* 2013;62(2): 215–22. (IF: 2,457)

Köberlein-Neu J, Mösges R. Oralair®: a causal treatment for grass pollen-induced allergic rhinoconjunctivitis. *Immunotherapy.* 2012; 5(1). (IF: 2.964)

Köberlein-Neu J, Vent J, Mösges R, Wieland R. Effectiveness of guidelines in treatment of allergic rhinitis: an analysis of individual patient data. *J Public Health.* 2011;19(6): 563–568.

Köberlein-Neu J, KlingenbergerD. [Foreign dentures and dental tourism--willingness-to-pay and factors influencing the demand for foreign dental prosthesis in Germany]. *Gesundheitswes.* 2011;73(7): 111-118. (IF: 0,937)

Köberlein-Neu J, Kothe A, Schaffert C. Determinants of patient compliance in allergic rhinoconjunctivitis. *Curr Opin Allergy Clin Immunol.* 2011;11(3): 192–199. (IF: 4,108)

Mösges R, König V, Köberlein-Neu J. The Effectiveness of Levocetirizine in Comparison with Loratadine in Treatment of Allergic Rhinitis —A Meta-Analysis. *Allergol Int.* 2011;60(4): 541–546. (IF: 4,806)

Köberlein-Neu J, Vent J, Mösges R. On the sustainability of guideline implementation. World Allergy Organ J. 2010;3(11): 258–261. (IF: 3,506)

Sieber J, Köberlein-Neu J, Mösges R. Sublingual immunotherapy in daily medical practice: effectiveness of different treatment schedules -IPD meta-analysis. Curr Med Res Opin. 2010;26(4): 925–932. (IF: 2,345)

Grimm C, Köberlein-Neu J, Wiosna W, Kresimon J, Kiencke P, Rychlik R. New-onset diabetes and antihypertensive treatment. Current medical research and opinion. 2010; 6(3): 1-11. (IF: 2,345)

Mösges R, Köberlein-Neu J, Heibges A, Erdtracht B, Klingel R, Lehmacher W. Rheopheresis for idiopathic sudden hearing loss: results from a large prospective, multicenter, randomized, controlled clinical trial. Eur Arch Otorhinolaryngol. 2009;266(7): 943–953. (IF: 1,167)

Nelles S, Köberlein-Neu J, Grimm C, Pittrow D, Kirch W, Rychlik R. [Socioeconomic relevance of the idiopathic restless legs syndrome (RLS) in Germany: cost-of-illness study]. Medizinische Klinik. 2009;104(5): 363–371. (IF: 0,473)

Schmidt K, Rychlik R, Köberlein-Neu J, Kiencke P. Frühzeitige gesundheitsökonomische Evaluation von Innovationen am Beispiel der peripheren Hirnsimulation bei der Behandlung des Morbus Parkinson. Gesundheitsökonomie und Qual. 2009;14: 204–212.

Köberlein-Neu J, Brehler R. Guidelines in allergology - Implements for promoting quality and economic efficiency. Leitlinien in der Allergologie. 2009.

Mösges R, Köberlein-Neu J, Erdtracht B, Klingel R, RHEO-ISHL Study Group. Quality of life in patients with idiopathic sudden hearing loss: comparison of different therapies using the Medical Outcome Short Form (36) Health Survey questionnaire. Otology and Neurotology. 2008;29(6):769–775. (IF: 1,410)

Köberlein-Neu J, Brehler R. Leitlinien in der Allergologie. DMW -Deutsche Medizinische Wochenschrift. 2008;133: 73–78. (IF: 0,625)

Köberlein-Neu J. Was bewirkt leitlinienkonforme Therapie in der Behandlung der allergischen Rhinokonjunktivitis? DMW -Deutsche Medizinische Wochenschrift. 2008;133: 79–83. (IF: 0,625)

Mösges R, Köberlein-Neu J, Keppler J. [Sublingual immunotherapy (SLIT) in the allergologist's practice]. MMW Fortschr Med. 2008;150(2): 79–84. (IF: 0.03)

Köberlein-Neu J, Krüger K, Rubbert A, Rychlik R. Unterversorgung mit innovativen Therapien bei der rheumatioden Arthritis. Gesundheitsökonomie und Qual. 2008;13(3): 165–170.

Mösges R, Köberlein-Neu J, Schog S. Was kostet die Hyposensibilisierung? Allergo J. 2007;16(8): 586–590.

Mösges R, Köberlein-Neu J. [New generation antihistamines as monotherapy or in combination. What is the relevance for daily clinical routine for allergic rhinoconjunctivitis]. HNO. 2007;55(6): 457–464. (IF: 0,653)

Mösges R, Schmalz P, Köberlein-Neu J, Kaciran M, Baiardini I. [The RHINASTHMA-Quality of Life Scale German Adapted Version: validation of a new disease specific quality of life scale for patients suffering from allergic rhinitis and bronchial hyperreactivity]. HNO. 2007;55(5): 357–364. (IF: 0,653)